

**1985****A simple colorimetric method for spot blood glucose estimation**

G.F.Watts, P.Thaker and P.N.West,  
Ann.Clin.Biochem, 22, 653 (1985)

**Filter paper spot glucose**

G.F.Watts, P.Thaker, P.N.West and K.M.Shaw,  
Practical Diabetes 2(5), 41-43 (1985)

**1987****The value of blood lactate measurement in the long-term monitoring of Type II diabetic patients**

A.McBain, I.R.F.Brown, I.W.Campbell and D.G.Menzies,  
Ann.Clin.Biochem, 24, Supplement (1987)

**Heart rate and blood lactate response to short intermittent work at race pace in highly trained swimmers**

L.Gullstrand and S.Lawrence  
Australian Journal of Science and Medicine in Sport, March (1987)

**1989****Prevalence of diabetes in a predominately Asian community: preliminary findings of the Coventry diabetes study**

D.Simmonds, D.R.Williams and M.J.Powell,  
British Medical Journal, 298, 18-21 (1989)

**1990****Platelet concentrates irradiated with ultraviolet light retain satisfactory in vitro storage characteristics and in vivo survival.**

D.H.Pamphlion et al,  
Brit.J.Haematology, 75, 240-244 (1990)

**Insulin resistance of hind-limb tissues in vivo in lactating sheep.**

R.G. Vernon et al,  
Biochem J., 270, 783-786 (1990)

**Streamlining Lactates**

R.C.L.Howat and M.W.Robson  
Swimming Technique, February (1990)

**Training with times established from the modified two speed test**

R.C.L.Howat and M.W.Robson  
Swimming Times, May (1990)

**1991****Altitude training – is it necessary?**

M.W.Robson,  
Swimming Times, December (1991)

**Plasma ammonia measurements using the Analox GM7 analyser.**

M.E.Haseler and S.Krywawych,  
ACB National Meeting, Poster Presentation (1991)

**1992****Developing swimmers aerobic capacities**

R.C.L.Howat and M.W.Robson,  
Swimming Technique, February (1992)

**Heartache or Heartbreak**

R.C.L.Howat and M.W.Robson,  
Swimming Times, June (1992)

**1993****A randomised clinical trial of the effect of deliberate perioperative increase of oxygen delivery on mortality in high-risk surgical patients.**

O.Boyd, R.M.Grounds and E.D.Bennett,  
JAMA, 270, 2699-2707 (1993)

**1994****Blood sampling during continuous running and 30-second intervals on a treadmill**

L.Gullstrand, B.Sjodin and J.Svedenhag  
Scandinavian Journal Med Sci Sports, 4, 239-242, (1994)

**Blood lactate responses to incremental exercise in young male athletes**

A.Baxter-Jones and P.Helms  
Biochemistry of Exercise International Conference Abstract, July (1994)

**Maximal aerobic power of Hong Kong elite lightweight rowers**

M.K.Chin, R.C.H.So, C.C.J.Perry and A.S.K.Wong  
Journal of Strength and Conditioning Research, August, (1994)

**1995****Basic principles of race pace training**

R.C.L.Howat and M.W.Robson  
Swimming Times, July (1995)

**Whole-blood glucose: What are we actually measuring?**

K.Wiener,  
Ann.Clin.Biochem, 32, 1-8 (1995)

**1996****Physiological responses to short-duration high-intensity intermittent rowing**

L.Gullstrand,  
Can.J.Appl.Physiol. 21(3), 197-208, (1996)

**A study of physiological responses during match play in Indian national kabaddi players**

V.Khanna, P.Majumdar, V.Malik, T.Vrinda and M.Mandal,  
British J.Sports Medicine, 30, 232-235, (1996)

**1997****Gastric intramucosal pH and blood lactate in severe sepsis (P-LM5, lactate measurement)**

G.M. Joynt, J. Lipman, C.D. Gomersall, I. Tan and J. Scribante,  
Anaesthesia, 52, 726-732 (1997)

**A 5-minute running field test as a measurement of maximal aerobic velocity**

P. Berthon et al,  
Eur. J. Appl. Physiology, 75, 233-238 (1997)

**1998****Hypothermia preserves function and signalling for mitochondrial biogenesis during subsequent ischemia (GM7, lactate measurement)**

X-H. Ning et al,  
American J. Physiology, 274 (Heart Circ. Physiol. 43): H786-H793 (1998)

**Effects of 14 weeks of progressive endurance training on energy expenditure in elderly people**

N.Fellmann, M.Vermorel et al,  
British Journal of Nutrition, 80, 6 (1998)

**Training effects of short and long bouts of brisk walking in sedentary women**

M.H.Murphy and A.E.Hardman,  
Medicine and Science in Sports and Exercise, 30(1), 152-157, (1998)

**1998****Oxygen uptake during moderate intensity running: response following a single bout of interval training.**

D.V.B. James and J.H. Doust,  
Eur. J. Appl. Physiol. 77, 551-555 (1998)

**1999****Intensity of exercise during road race pro-cycling competition**

B.Fernandez-Garcia, J.Perez-Landaluce, M.Rodriguez-Alonso and N.Terrados,  
Medicine and Science in Sports and Exercise, 30, 1002-1006 (1999)

**A 1-day maximal lactate steady-state assessment protocol for trained runners**

A.S.Palmer, J.A.Potteiger, K.L.Nau and R.J.Tong,  
Medicine and Science in Sports and Exercise, 30, 1336-1341 (1999)

**Extreme, progressive isovolemic hemodilution with 5% human albumin, PentaLyte, or Hextend does not cause hepatic ischemia or histologic injury in rabbits**

V.G.Nielsen, M.S.Baird, A.E.Brix and S.Matalon,  
Anesthesiology, 90, 5 (1999)

**Age does not influence levels of HbA1c in normal subjects**

K. Wiener and N.B. Roberts,  
QJM, 92, 169-173 (1999)

**Mitochondrial protein and HSP70 signaling after ischemia in hypothermic-adapted hearts augmented with glucose (GM7, lactate measurement)**

X-H. Ning, C-S. Xu and M.A. Portman,  
Amer J Physiol Regul Integr Comp Physiol, 277: R11-R17 (1999)

**2000****Enhanced stimulation of glucose uptake by insulin increases exercise-stimulated glucose uptake in skeletal muscle in humans.**

P.Nuutila et al,  
Diabetes, 49, 1084-1091 (2000)

**H<sub>2</sub>O<sub>2</sub>-induced block of glycolysis as an active ADP-ribosylation reaction protecting cells from apoptosis.**

C. Colussi et al,  
FASEB Journal, 14, 2266-2276 (2000)

**Long-term arsenic exposure and incidence of non insulin dependent diabetes mellitus: A cohort study in arseniasis-hyperendemic villages in Taiwan**

Chin-Hsiao Tseng et al,  
Environmental Health Persepectives, 108(9),(Sept 2000)

**Prolonged exposure to intermittent alcohol vapors blunts hypothalamic responsiveness to immune and non-immune signals.**

S.Lee, D.Schmidt, F.Tilders, M.Cole, A.Smith and C.River,  
Alcoholism: Clinical and Experimental Research 24 (1) 110-122 (2000)

**Impaired protein synthesis induced by acute alcohol intoxication is associated with changes in eIF4E in muscle and eIF2B in liver.**

C.H.Lang, R.A.Frost, V.Kumar, D.Wu and T.C.Vary,  
Alcoholism: Clinical and Experimental Research, 24 (3) 322-331 (2000)

**Impairment in eyeblink classical conditioning in adult rats exposed to ethanol as neonates.**

J.T.Green, R.F.Rogers, C.R.Goodlett and J.E.Steinmetz,  
Alcoholism: Clinical and Experimental Research, 24 (4) 438-447 (2000)

**2000****Training in hypoxia: Modulation of metabolic and cardiovascular risk factors in men**

D.M.Bailey, B.Davies and J.Baker,  
Medicine and Science in Sports and Exercise, 31, 1058-1066, (2000)

**Left ventricular contractility and function at peak aerobic and anaerobic exercises**

M.Sagiv, D.Bwen-Sira, E.Goldhammer and M.Soudry,  
Medicine and Science in Sports and Exercise, 31, 1197-1201 (2000)

**Human erythrocyte and plasma amino acid concentrations during exercise**

D.P.M.Maclaren, A.M.Nevill, C.D.Thake, I.T.Campbell, E.Cheetham, M.A.Keegan, C.Lane and N.B.Roberts,  
Medicine and Science in Sports and Exercise, 31, 1244-1249 (2000)

**2001****Inspiratory muscle training improves rowing performance**

S.Volianitis, A.K.McConnell, Y.Koutedakis, L.McNaughton, K.Backx and D.A.Jones, Medicine and Science in Sports and Exercise, 33, 803-809 (2001)

**Effect of creatine loading on long-term sprint exercise performance and metabolism**

D.Preen, B.Dawson, C.Goodman, S.Lawrence, J.Beilby and S.Ching,  
Medicine and Science in Sports and Exercise, 33, 814-821 (2001)

**The effect of three different warm-up intensities on kayak ergometer performance**

D.Bishop, D.Bonetti and B.Dawson,  
Medicine and Science in Sports and Exercise, 33, 1026-1032 (2001)

**Comparison of the lactate Pro and Analox GM7 lactate analysers**

S.A.Ingham, A.M.Nevill and G.Whyte, Poster presented at European College of Sport Science Congress, Cologne, (2001)

**Mice that lack corticotropin-releasing factor (CRF) receptors Type 1 show a blunted ACTH response to acute alcohol despite up-regulated constitutive hypothalamic CRF gene expression.**

S. Lee, G.W. Smith, W. Vale, K-F. Lee and C. Rivier,  
Alcoholism: Clinical and Experimental Research, 25 (3) 427-433 (2001)

**Local cerebral glucose utilization rates in alcohol-naïve High-Alcohol-Drinking (HAD) and Low-Alcohol-Drinking (LAD) rats.**

J.E.Learn, D.G.Smith, W.J.McBride, L.Lumeng and T-K.Lee,  
Alcoholism: Clinical and Experimental Research, 25 (4) 517-523 (2001)

**Responsivity and development of tolerance to the motor impairing effects of moderate doses of ethanol in alcohol-preferring (P) and –nonpreferring (NP) rat lines**

R.E.Bell et al,  
Alcoholism: Clinical and Experimental Research, 25 (5) 644-650 (2001)

**MK-801 can exacerbate or attenuate behavioral alterations associated with neonatal alcohol exposure in the rat, depending on the timing of administration**

J.D.Thomas, S.L.Fleming and E.P.Riley,  
Alcoholism: Clinical and Experimental Research, 25 (5) 764-773 (2001)

**Ethanol-induced impairments in spatial working memory are not due to deficits in learning**

S.E.Hoffmann and D.B.Matthews,  
Alcoholism: Clinical and Experimental Research, 25 (6) 856-861 (2001)

**Effects of concurrent access to multiple ethanol concentrations and repeated deprivations on alcohol intake of alcohol-preferring rats**

Z.A.Rodd-Henricks et al,  
Alcoholism: Clinical and Experimental Research, 25 (8) 1140-1150 (2001)

**2001****Early alteration in leukocyte populations and Th1/Th2 function in ethanol-consuming mice**

S.Starkenber, M.E.Munroe and C.Waltenbaugh,  
Alcoholism: Clinical and Experimental Research, 25 (8) 1221-1230 (2001)

**Differential response to the aversive properties of alcohol in alcohol-preferring (sP) and –nonpreferring (sNP) rats**

G.Brunetti, S.Mellis, S.Serra, G.Vacca, G.Colombo and G.L.Gessa, Poster presentation, 8th Congress of the European Society for Biomedical Research on Alcoholism, September (2001)

**Increased ethanol self-administration in  $\delta$ -opioid receptor knockout mice**

A.J.Roberts et al,  
Alcoholism: Clinical and Experimental Research, 25 (9) 1249-1256 (2001)

**Alcohol-Naïve alcohol-preferring (P) rats exhibit higher local cerebral glucose utilization than alcohol-nonpreferring (NP) and Wistar rats**

D.G.Smith, J.E.Learn, W.J.McBride, L.Lumeng, T-K.Li and J.M.Murphy,  
Alcoholism: Clinical and Experimental Research, 25 (9) 1309-1316 (2001)

**Evidence that the Lore-1 region specifies ethanol-induced activation in addition to sedative/hypnotic sensitivity to ethanol**

I.C.Owens, B.Bennett and T.E.Johnson,  
Alcoholism: Clinical and Experimental Research, 25 (11) 1551-1557 (2001)

**2002****Selective and enduring deficits in spatial learning after limited neonatal binge alcohol exposure in male rats**

T.B.Johnson and C.R.Goodlett,  
Alcoholism: Clinical and Experimental Research, 26 (1) 83-93 (2002)

**Reciprocal congenics defining individual quantitative trait loci for sedative/hypnotic sensitivity to ethanol**

B.Bennett, M.Beason, L.Gordon and T.E.Johnson,  
Alcoholism: Clinical and Experimental Research, 26 (2) 149-157 (2002)

**Altered EEG responses to ethanol in adult rats exposed to ethanol during adolescence**

C.J.Slawecki,  
Alcoholism: Clinical and Experimental Research, 26 (2) 246-254 (2002)

**Glucose uptake and perfusion in subcutaneous and visceral adipose tissue during insulin stimulation in nonobese and obese humans.**

K.A. Virtanen et al,  
J. Clinical Endocrinology and Metabolism, 87 (8), 3902-3910 (2002)

**Diagnosing external iliac endofibrosis by postexercise ankle to arm index in cyclists**

B. Fernandez-Garcia et al,  
Medicine and Science in Sports and Exercise, 34, 222-227 (2002)

**Microdialysis of dopamine in the nucleus accumbens of alcohol-preferring(P) rats during anticipation and operant self-administration of ethanol**

R.I. Melendez, Z.A. Rodd-Henricks, E.A. Engleman, T-K Li, W.J. McBride and J.M. Murphy, Alcoholism: Clinical and Experimental Research, 26 (3) 318-325 (2002)

**Chronic ethanol treatment and withdrawal alter ACPD-evoked calcium signals in developing Purkinje neurons**

J.G. Netzeband, J.R. Schneeloch, C. Trotter, J.N. Caguioa-Aquino and D.L. Gruol, Alcoholism: Clinical and Experimental Research, 26 (3) 386-393 (2002)

**Binge ethanol exposure in adult rats causes necrotic cell death**

J.A. Obernier, T.W. Bouldin and F.T. Crews,  
Alcoholism: Clinical and Experimental Research, 26 (4) 547-557 (2002)

**2002****The decreased cellular expression of neuropeptide protein in rat brain structures during ethanol withdrawal after chronic ethanol exposure**

A. Roy and S.C. Pandey,  
Alcoholism: Clinical and Experimental Research, 26 (6) 796-803 (2002)

**Chronic-intermittent ethanol exposure during adolescence prevents normal developmental changes in sensitivity to ethanol-induced motor impairments**

A.M. White, J.G. Bae, M.C. Truesdale, S. Ahmad, W.A. Wilson and H.S. Swartwelder, Alcoholism: Clinical and Experimental Research, 26 (7) 960-968 (2002)

**Possible pleiotropic effects of genes specifying sedative/hypnotic sensitivity to ethanol on other alcohol-related traits**

J.C. Owens, B. Bennett and T.E. Johnson,  
Alcoholism: Clinical and Experimental Research, 26 (10) 1461-1467 (2002)

**Handgrip contribution to lactate production and leg power during high-intensity exercise**

J. Baker, E. Brown, G. Hill, G. Phillips, R. Williams and B. Davies,  
Medicine and Science in Sports and Exercise, 34, 1037-1040 (2002)

**The influence of pacing strategy in VO<sub>2</sub> and supramaximal kayak performance**

D. Bishop, D. Bonetti and B. Dawson,  
Medicine and Science in Sports and Exercise, 34, 1041-1047 (2002)

**Caffeine is ergogenic after supplementation of oral creatine monohydrate**

M. Docherty, P.M. Smith, R.C.R. Davidson and M.G. Hughes,  
Medicine and Science in Sports and Exercise, 34, 1785-1792 (2002)

**Glucose uptake and perfusion in subcutaneous and visceral adipose tissue during insulin stimulation in nonobese and obese humans.**

**K.A. Virtanen et al,**  
**J. Clinical Endocrinology and Metabolism, 87 (8), 3902-3910 (2002)**

**2003****Skeletal muscle glucose uptake response to exercise in trained and untrained men**

T. Fujimoto et al.,  
Medicine and Science in Sports and Exercise, 35, 777-783 (2003)

**Effects of sodium bicarbonate ingestion on prolonged intermittent exercise**

M. Price, P. Moss and S. Rance,  
Medicine and Science in Sports and Exercise, 35, 1303-1308 (2003)

**Lactate and ventilatory thresholds reflect the training status of professional soccer players where maximum aerobic power is unchanged**

A.M. Edwards, N. Clark and A.M. Macfayden,  
Journal of Sports Science & Medicine, 2, 23-29 (2003)

**The neurotoxicity induced by ethanol withdrawal in mature organotypic hippocampal slices might involve cross-talk between metabotropic glutamate Type 5 receptors and N-methyl-D-aspartate receptors.**

B.R. Harris et al,  
Alcoholism: Clinical and Experimental Research, 27 (11) 1724-1735 (2003)

**Fyn Kinase and NR2B-containing NMDA receptors regulate acute ethanol sensitivity but not ethanol intake or conditioned reward.**

R. Yaka et al,  
Alcoholism: Clinical and Experimental Research, 27 (11) 1736-1742 (2003)

**2003****Timing of antioxidant vitamin ingestion alters postprandial proatherogenic serum markers.**

Mary F. Carroll and David S. Schade,  
American Heart Association, Circulation, 108, 24-31 (2003)

**Timing of antioxidant vitamin ingestion alters postprandial proatherogenic serum markers.****(GM7, glucose measurement)**

Mary F. Carroll and David S. Schade,  
American Heart Association, Circulation, 108, 24-31 (2003)

**Differential effects of rosiglitazone and metformin on adipose tissue distribution and glucose uptake in Type 2 diabetic subjects**

K.A. Virtanen et al.,  
Diabetes, 52, 283-290 (2003)

**Assessment of the reliability and validity of the Lactate Pro lactate analyser**

S.G.Psycharakis, C.B.Cooke, J.O'Hara and A.Siems,  
Biomechanics and Medicine in Swimming IX, J.C. Chatard (ed.), University of St. Etienne Publications, St.Etienne, France, Pp 367-373 (2003)

**Factors determining the appearance of glucose in upper and lower respiratory tract secretion (GM9D, glucose measurement)**

B.J. Philips, J-X. Meguer, J. Redman and E.H. Baker,  
Intensive Care Medicine, 29, 2204-2210 (2003)

**2004****Effect of hyperglycaemia on glucose concentration of human nasal secretions****(GM9D, glucose measurement)**

D.M. Wood, A.L. Brennan, B.J. Philips and E.H. Baker,  
Clinical Science, 106, 527-533 (2004)

**Effects of acute hypoxia on the determination of anaerobic threshold using the heart rate – work rate relationships during incremental exercise tests.**

O. Ozcelik and H. Kelestimur,  
Physiol. Res. 53, 45-51 (2004)

**Controlled and behaviorally relevant levels of oral ethanol intake in Rhesus Macaques using a flavorant-fade procedure**

S.N. Katner et al,  
Alcoholism: Clinical and Experimental Research, 28 (6) 873-883 (2004)

**Immediate acceptance of ethanol in infant rats; ontogenetic differences with moderate but not high ethanol concentration**

E. Truxell and N.E. Spear,  
Alcoholism: Clinical and Experimental Research, 28 (8) 1200-1211 (2004)

**Site of action of acute alcohol administration in stimulating the rat hypothalamic-pituitary-adrenal axis: Comparison between the effect of systematic and intracerebroventricular injection of this drug on pituitary and hypothalamic responses**

S. Lee, D. Selvage, K. Hansen and C. Rivier,  
Endocrinology, 145 (10) 4470-4479 (2004)

**2005****New insights into the glucose oxidase stick test for cerebrospinal fluid rhinorrhea****(GM9D, glucose measurement)**

E.H. Baker, D.M. Wood, A.L. Brennan, D.L. Baines and B.L. Philips,  
J. Emerg Med, 22, 556-557 (2005)

**2005****Increased fat mass compensates for insulin resistance in abdominal obesity and Type 2 diabetes (GM9, glucose measurement)**

K.A. Virtanen et al.,  
Diabetes, 54, 2720-2726 (2005)

**Sex differences in ethanol liquid diet consumption in Sprague-Dawley rats**

M.R. Piano, T.M. Carrigan and D.W. Schwertz,  
Alcohol, 35 113-118 (2005)

**Metabolic implications of high intensity cycle ergometry exercise for blood lactate accumulation and clearance**

J. Baker, N. Thomas and B. Davies,  
J. Exercise Physiology Online, Vol.8, No.3 (June 2005)

**Effects of ribose supplementation prior to and during intense exercise on anaerobic capacity and metabolic markers**

C. Kerksick et al,  
Intl J. of Sport Nutrition and Exercise Metabolism, 15, 653-664 (2005)

**Optimised and non-optimised high intensity cycle ergometry and running ability in international rugby union players.**

N.E. Thomas and J.S. Baker,  
J. Exercise Physiology Online, 8(3), 26-35 (2005)

**Exercise in the fasted state facilitates fibre type-specific intramyocellular lipid breakdown and stimulates glycogen resynthesis in humans.**

K. DeBock et al,  
J. Physiology, 564.2, 649-660 (2005)

**2006****Chocolate milk as a post-exercise recovery aid.**

J.R. Karp et al,  
Intl J. of Sports Nutrition and Exercise Metabolism, 16, 78-91 (2006)

**2007****Reduction of plasma triglycerides in apolipoprotein C-II transgenic mice over expressing lipoprotein lipase in muscle**

L. K. Pulawa, D. R. Jensen, A. Coates, and R. H. Eckel  
J Lipid Res. 48: 151–154 (2007)

**Direct Validation of In Vivo Localized Carbon 13C MRS Measurements of Brain Glycogen**

H. Lei, F. Morgenthaler, T. Yue, and R. Gruetter  
Magnetic Resonance in Medicine 57,243–248, (2007)

**2008****Expression of an activating mutation in the gene encoding the KATP channel subunit Kir6.2 in mouse pancreatic  $\beta$  cells recapitulates neonatal diabetes**

C.A. Girard et al.,  
Journal of Clinical Investigation, 119 (1), 80-90 (2008)

**Insulin sensitivity and cardiac autonomic function in young male practitioners of yoga**

M.S. Chaya et al,  
National Medical Journal of India, 21 (5), 217-221 (2008)

**Increased thermoregulation in cold-exposed transgenic mice overexpressing lipoprotein lipase in skeletal muscle: an avian phenotype?**

D. R. Jensen, L. A. Knaub, J. P. Konhilas, L. A. Leinwand, P. S. MacLean, and R. H. Eckel  
J Lipid Res. 49(4): 870–879 (2008)

**Effect of a pre-exercise energy supplement on the acute hormonal response to resistance exercise**

J. R. Hoffman, N. A. Ratamess, R. Ross, M. Shanklin, J. Kang, and A. D. Faigenbaum  
Journal of Strength and Conditioning Research, 22(3), 874-882, (2008)

**Evaluating the glucose tolerance test in mice**

S. Andrikopoulos, A. R. Blair, N. Deluca, B. Fam, and J. Proietto  
American Journal of Physiology: Endocrinology and Metabolism, 295(6), E1323-1332, (2008)

**Neuropeptide y in the central nucleus of the amygdala suppresses dependence-induced increases in alcohol drinking**

N. W. Gilpin, Kaushik Misra, and George F. Koob  
Pharmacol Biochem Behav. 90(3), 475 -480 (2008)

**2009****Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence**

H. N. Richardson, S. H. Chan, E. F. Crawford, Y.K. Lee, C. K. Funk, G. F. Koob, and C. D. Mandym  
Neurobiol Dis. 36 (1), 1-10, (2009).

**The role of lactate in the exercise-induced human growth hormone response: evidence from McArdle disease**

R J Godfrey, G P Whyte, J Buckley, R Quinlivan  
Br. J. Sports Med, 43, 521-525 (2009)

**Chronic dietary kudzu isoflavones improve components of metabolic syndrome in stroke-prone spontaneously hypertensive rats**

N. Peng, J.K. Prasain, Y. Dai, R. Moore, A. Arabshahi, S. Barnes, S. Carlson, and J. M. Wyss  
J. Agric. Food Chem., 57 (16), 7268-7273 (2009)

**Intra-cornu ammonis 1 administration of the human immunodeficiency virus-1 protein trans-activator of transcription exacerbates the ethanol withdrawal syndrome in rodents and activates N-methyl-D-aspartate glutamate receptors to produce persisting spatial learning deficits**

R.L. Self, K.J. Smith, T.R. Butler, J.R. Pauly and M.A. Prendergast  
Neuroscience, 163, 868-876, (2009)

**Intestinal cholecystokini controls glucose production through a neuronal network**

G.W.C Cheung, A. Kokorovic, C., K.L. Lam, M. Chari and T.K.T Lam  
Cell Metabolism, 10 (2), 99-109, (2009)

**Nutrient stress activates inflammation and reduces glucose metabolism by suppressing AMP-activated protein kinase in the heart**

H.j. Ko, Z. Zhang, D.Y. Jung, J.Y. Jun, Z. Ma, K.E. Jones, S.Y. Chan and J.K. Kim  
Diabetes, 58(11), 2536-2546, (2009)

**Reducing effect of a Phaseolus vulgaris dry extract on food intake, body weight, and glycemia in rats**

N. Fantini, C. Cabras, C. Lobina, G. Colombo, G. L. Gessa, A. Riva, F. Donzelli, P. Morazzoni, E. Bombardelli and M. A. M. Carai  
J. Agric. Food Chem., 57 (19), 9316-9323, (2009)

**2010****Neurotensin receptor type 1 regulates ethanol intoxication and consumption in mice**

Moonnoh R. Lee, David J. Hinton, Jane Y. Song Kyung Won Lee, Christopher Choo, Heidi Johng  
Pharmacol Biochem Behav. 95(2): 235–241 (2010)

**2010****Higher free fatty acid uptake in visceral than in abdominal subcutaneous fat tissue in men**

J. C. Hannukainen, K. K. Kalliokoski, R.J.M. Borra, A.P.M. Viljanen, T. Janatuinen, U.M. Kujala, J. Kaprio, O. J. Heinonen, T. Viljanen, M. Haaparanta, P. Iozz, R.Parkkola and P. Nuutila  
Obesity 18 (2), 261–265, (2010).

**Fast growth associated with aberrant vasculature and hypoxia in fibroblast growth factor 8b (FGF8b) over-expressing PC-3 prostate tumour xenografts**

J. Tuomela, T. J Grönroos, M. P Valta, J. Sandholm, A. Schrey, J. Seppänen, P. Marjamäki, S. Forsback, I. Kinnunen, O. Solin, H. Minn and P. L Härkönen  
BMC Cancer, 10, 596-608, (2010)

**Acute hormonal changes following intravenous glucose challenge in lean and obese human subjects**

L. T. Haltia, E. Savontaus, T. Vahlberg, J. O. Rinne and V. Kaasinen  
Scandinavian Journal of Clinical & Laboratory Investigation, 70(4), 275-280, (2010)

**Terminalia bellirica stimulates the secretion and action of insulin and inhibits starch digestion and protein glycation in vitro**

V. Kasabri, P. R. Flatt and Y. H. A. Abdel-Wahab  
British Journal of Nutrition, 103, 212–217 (2010)

**Cafeteria diet-induced insulin resistance is not associated with decreased insulin signaling or AMPK activity and is alleviated by physical training in rats**

N.Brandt, K. De Bock, E. A. Richter and P.Hespel  
Am J Physiol Endocrinol Metab 299 (2): 215-224 (2010)

**Opioids in the hypothalamic paraventricular nucleus stimulate ethanol intake**

J. R. Barson, A. J. Carr, J. E. Soun, N. C. Sobhani, P. Rada, S. F. Leibowitz, and B. G. Hoebel  
Alcohol Clin Exp Res, 34,(2), 214–222 (2010)

**Genetic ablation of calcium-independent phospholipase A2γ prevents obesity and insulin resistance during high fat feeding by mitochondrial uncoupling and increased adipocyte fatty acid oxidation\***

D. J. Mancuso, H. F. Sims, K. Yang, M. A. Kiebish, X. Su, C. M. Jenkins, S.Guan, S. Ho Moon, T. Pietka, F. Nassir, T. Schappe, K. Moore, X. Han, N. A. Abumrad and R. W. Gross  
The Journal of Biological Chemistry, 285, 36495-36510, (2010)

**High-fructose corn syrup causes characteristics of obesity in rats: Increased body weight, body fat and triglyceride levels**

M.E. Bocarsly, E.S. Powell, N. M. Avena and B. G. Hoebel  
Pharmacology Biochemistry and Behavior, 97(1), 101-106, (2010)

**2011****Recurrent hypoglycemia increases hypothalamic glucose phosphorylation activity in rats**

M. A. Osundiji, P. Hurst, S. P. Moore, S. P. Markkula, C. Y. Yueh, A. Swamy, S. Hoashi, J. S. Shaw, C. H. Riches, L. K. Heisler and M. L. Evans  
Metabolism, 60(4), 550-556, (2011)

**Increased ethanol consumption and preference in mice lacking neurotensin receptor type 2**

Moonnoh R. Lee, David J. Hinton, E. Richelson, D. Choi Alcoholism: Clinical and Experimental Research, 35 (1), 99 -107 (2011)

**Evidence of glycemia-lowering effect by a Cynara scolymus L. extract in normal and obese rats.**

N. Fantini, G. Colombo, G.,A. Giori, A. Riva, A., P. Morazzoni, E. Bombardelli, and M.A.M Carai,  
Phytotherapy Research, 25: 463–466. (2011)