

2018

NMDA receptor GluN2A subunit deletion protects against dependence-like ethanol drinking

Nicholas J.Jurya, Anna K.Radkea, Dipanwita Pati, Adrina Kochariana Masayoshi Mishina Thomas L.Kash, Andrew Holmes Behavioural Brain Research Volume 353, 1 November 2018, Pages 124-128 (2018)

Methamphetamine self-administration reduces alcohol consumption and preference in alcohol-preferring P rats

Madeline C. Winkler, Jacob Stafford, Ryan K. Bachtell, Addiction Biology Volume 23, Issue1 January 2018 Pages 90-101 (2018)

Ethanol Reinforcement Elicits Novel Response Inhibition Behavior in a Rat Model of Ethanol Dependence

Sucharita S. Somkuwar, Leon W. Quach, Jacqueline A. Quigley, Dvijen C. Purohit McKenzie J. Fannon, George F. Koob, and Chitra D. Mandyam Brain Sciences 2018, 8, 119 (2018)

Persistent escalation of alcohol consumption by mice exposed to brief episodes of social defeat stress: suppression by CRF-R1 antagonism

Emily L. Newman, Lucas Albrechet-Souza, Peter M. Andrew, John G. Auld, Kelly C. Burk, Lara S. Hwa, Eric Y. Zhang, Joseph F. DeBold, Klaus A. Miczek, Psychopharmacology June 2018, Volume 235, Issue 6, pp 1807–1820 (2018)

mGlu5-dependent modulation of anxiety during early withdrawal from binge-drinking in adult and adolescent male mice

Kaziya M.Lee, Michal A.Coelho, MacKayla A.Class, Karen K.Szumliniski Drug and Alcohol Dependence Volume 184, 1 March 2018, Pages 1-11 (2018)

Adolescent social stress increases anxiety-like behavior and ethanol consumption in adult male and female C57BL/6J mice

M. J. Caruso, L. R. Seemiller, T. B. Fetherston, C. N. Miller, D. E. Reiss, S. A. Cavigelli & H. M. Kamens Scientific Reports volume 8, Article number: 10040 (2018)

Homer2 within the central nucleus of the amygdala modulates withdrawal-induced anxiety in a mouse model of binge-drinking

K.M.Lee, M.A.Coelho, K.R.Serna, K.K.Szumliniski Neuropharmacology Volume 128, January 2018, Pages 448-459 (2018)

2017

Sex differences in the behavioral sequelae of chronic ethanol exposure

Nicholas J. Jury, Jeffrey F. DiBerto, Thomas L. Kash, Andrew Holmes *Alcohol Volume 58, February 2017, Pages 53-60 (2017)*

Alcohol promotes the tumorigenesis of spontaneous breast cancer in TA2mice and the possible potential mechanism

Mo XU, jun Zhi CHEN, hua Zhao GUI, lei Dan CHEN, dong Hao ZHAO, Fan YANG, ying Si WANG *Acta Laboratorium Animalis Scientia Sinica 2017;25(5):563-566 (2017)*

Sex and Adolescent Ethanol Exposure Influence Pavlovian Conditioned Approach

Aric C. Madayag, Sierra J. Stringfield, Kathryn J. Reissner, Charlotte A. Boettiger, Donita L. Robinson *Alcoholism: Clinical and Experimental Research Volume 41, Issue4, April 2017, Pages 846-856 (2017)*

Ethanol (E) Impairs Fetal Brain GSH Homeostasis by Inhibiting Excitatory Amino-Acid Carrier 1 (EAAC1)-Mediated Cysteine Transport

Dhyanesh Patel, Lenin Mahimainathan, Madhusudhanan Narasimhan, Marylatha Rathinam and George Henderson *Int. J. Mol. Sci. 2017, 18(12), 2596 (2017)*

Prenatal alcohol exposure enhances the susceptibility to NMDA-induced generalized tonic-clonic seizures in developing rats

Sue J. Cho David M. Lovinger Prosper N'Gouemo *CNS Neuroscience & Therapeutics, Volume 23, Issue10, October 2017, Pages 808-817 (2017)*

Postnatal choline supplementation selectively attenuates hippocampal microRNA alterations associated with developmental alcohol exposure

Sridevi Balaramana, Nirelia M. Idrus, Rajesh C. Miranda, Jennifer D. Thomas *Alcohol Volume 60, May 2017, Pages 159-167 (2017)*

Sedative and Motor Incoordination Effects of Ethanol in Mice Lacking CD14, TLR2, TLR4, or MyD88

Yuri A. Blednov, Mendy Black, Jillian M. Benavidez, Adriana Da Costa, Jody Mayfield R. Adron Harris *Alcoholism Clinical and Experimental Research Volume 41, Issue3, March 2017, Pages 531-540 (2017)*

Mutation of the inhibitory ethanol site in GABAA p1 receptors promotes tolerance to ethanol-induced motor incoordination

Yuri A. Blednova, Cecilia M. Borghesea, Carlos I. Ruiza, Madeline A. Cullinsa, Adriana Da Costa, Elizabeth A. Osterndorff-Kahaneka, Gregg E. Homanics, R. Adron Harris *Neuropharmacology Volume 123, 1 September 2017, Pages 201-209 (2017)*

2016

Differences in Behavioral Responding in Adult and Aged Rats Following Chronic Ethanol Exposure

Adelle Novier, Laura C. Ornelas, Jaime L. Diaz-Granados, Douglas B. Matthews Alcoholism Clinical and Experimental Research Volume 40, Issue7, July 2016, Pages 1462-1472 (2016)

Concomitant Caffeine Increases Binge Consumption of Ethanol in Adolescent and Adult Mice, But Produces Additive Motor Stimulation Only in Adolescent Animals

Brandon M. Fritz, Caroline Quoilin, Chelsea R. Kasten, Michael Smoker, Stephen L. Boehm II Alcoholism Clinical and Experimental Research Volume40, Issue6 June 2016, Pages 1351-1360 (2016)

Wheel running reduces ethanol seeking by increasing neuronal activation and reducing oligodendroglial/neuroinflammatory factors in the medial prefrontal cortex

Sucharita, S.Somkuwar McKenzie, J.Fannon-Pavlich, Atoosa Ghofranian, Jacqueline A.Quigley, Rahul R.Dutta, Melissa H.Galinato, Chitra D.Mandyam Brain, Behavior, and Immunity Volume 58, November 2016, Pages 357-368 (2016)

Role of MCP-1 in alcohol-induced aggressiveness of colorectal cancer cells

Mei Xu, Siying Wang, Yuanlin Qi, Li Chen, Jacqueline A. Frank, Xiuwei H. Yang, Zhuo Zhang Xianglin Shi, Jia Luo Molecular Carcinogenesis Volume 55, Issue 5, May 2016, Pages 1002-1011 (2016)

Paternal preconception ethanol exposure blunts hypothalamic-pituitary-adrenal axis responsivity and stress-induced excessive fluid intake in male mice

Gregory R. Rompala, Andrey Finegersh, Gregg E.Homanics Alcohol, Volume 53, June 2016, Pages 19-25 (2016)

2015

Pioglitazone Blocks Ethanol Induction of Microglial Activation and Immune Responses in the Hippocampus, Cerebellum, and Cerebral Cortex in a Mouse Model of Fetal Alcohol Spectrum Disorders

Paul D. Drew, Jennifer W. Johnson, James C. Douglas, Kevin D. Phelan, Cynthia J. M. Kane Alcoholism Clinical and Experimental Research Volume 39, Issue 3, March 2015, Pages 445-454 (2015)

Chronic Intermittent Ethanol Exposure Produces Persistent Anxiety in Adolescent and Adult Rats

Candice E. Van Skike, Jaime L. Diaz-Granados, Douglas B. Matthews Alcoholism Clinical and Experimental Research Volume 39, Issue2, February 2015, Pages 262-271 (2015)

AM1 Citations

2014

The One-Two Punch of Alcoholism: Role of Central Amygdala Dynorphins/Kappa-Opioid Receptors

Jessica L.Kisslera, Sunil Sirohia, Daniel J.Reisa, Heiko T.Jansen, Raymond M.Quock, Daniel G.Smith, Brendan M.Walker Biological Psychiatry Volume 75, Issue 10, 15 May 2014, Pages 774-782 (2014)

2011

Increased Ethanol Consumption and Preference in Mice Lacking Neurotensin Receptor Type 2

Moonnoh R. Lee, David J. Hinton, E. Richelson, D. Choi Alcoholism: Clinical and Experimental Research, 35 (1), 99 -107 (2011)

2010

Neurotensin receptor type 1 regulates ethanol intoxication and consumption in mice

Moonnoh R. Lee, David J. Hinton, Jane Y. Song Kyung Won Lee, Christopher Choo, Heidi Johng Pharmacol Biochem Behav. 95(2): 235–241, (2010)

2009

Intra-cornu ammonis 1 administration of the human immunodeficiency virus-1 protein trans-activator of transcription exacerbates the ethanol withdrawal syndrome in rodents and activates N-methyl-Daspartate glutamate receptors to produce persisting spatial learning deficits

*R.L. Self, K.J. Smith, T.R. Butler, J.R. Pauly and M.A. Prendergast **Neuroscience**, 163, 868-876, (2009)*

Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence

*H. N. Richardson, S. H. Chan, E. F. Crawford, Y.K. Lee, C. K. Funk, G. F. Koob, and C. D. Mandyam **Neurobiol Dis.** 36 (1), 1-10, (2009)*

Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence

AM1 Citations

H. N. Richardson, S. H. Chan, E. F. Crawford, Y.K. Lee, C. K. Funk, G. F. Koob, and C. D. Mandyam Neurobiol Dis. 36 (1), 1-10, (2009)

Intra-cornu ammonis 1 administration of the human immunodeficiency virus-1 protein trans-activator of transcription exacerbates the ethanol withdrawal syndrome in rodents and activates N-methyl-D-aspartate glutamate receptors to produce persisting spatial learning deficits

R.L. Self, K.J. Smith, T.R. Butler, J.R. Pauly and M.A. Prendergast Neuroscience, 163, 868-876, (2009)

2008

Neuropeptide y in the central nucleus of the amygdala suppresses dependence-induced increases in alcohol drinking

N. W. Gilpin, Kaushik Misra, and George F. Koob Pharmacol Biochem Behav. 90(3), 475 -480 (2008)

2005

Sex differences in ethanol liquid diet consumption in Sprague-Dawley rats

M.R. Piano, T.M. Carrigan and D.W. Schwertz, Alcohol, 35 113-118 (2005)

2004

Comparison between the effect of systematic and intracerebroventricular injection of this drug on pituitary and hypothalamic responses

S. Lee, D. Selvage, K. Hansen and C. Rivier, Endocrinology, 145 (10) 4470-4479 (2004)

2003

The neurotoxicity induced by ethanol withdrawal in mature organotypic hippocampal slices might involve cross-talk between metabotropic glutamate Type 5 receptors and N-methyl-D-aspartate receptors.

B.R. Harris et al, Alcoholism: Clinical and Experimental Research, 27 (11) 1724-1735 (2003)

2002

Possible pleiotropic effects of genes specifying sedative/hypnotic sensitivity to ethanol on other alcohol-related traits

J.C. Owens, B. Bennett and T.E. Johnson, Alcoholism: Clinical and Experimental Research, 26 (10) 1461-1467 (2002)

Selective and enduring deficits in spatial learning after limited neonatal binge alcohol exposure in male rats

T.B. Johnson and C.R. Goodlett, Alcoholism: Clinical and Experimental Research, 26 (1) 83-93 (2002)

Reciprocal congenics defining individual quantitative trait loci for sedative/hypnotic sensitivity to ethanol

B. Bennett, M. Beeson, L. Gordon and T.E. Johnson, Alcoholism: Clinical and Experimental Research, 26 (2) 149-157 (2002)

Altered EEG responses to ethanol in adult rats exposed to ethanol during adolescence

C.J. Slawecki, Alcoholism: Clinical and Experimental Research, 26 (2) 246-254 (2002)

Microdialysis of dopamine in the nucleus accumbens of alcohol-preferring(P) rats during anticipation and operant self-administration of ethanol

R.I. Melendez, Z.A. Rodd-Henricks, E.A. Engleman, T-K Li, W.J. McBride and J.M. Murphy, Alcoholism: Clinical and Experimental Research, 26 (3) 318-325 (2002)

Chronic ethanol treatment and withdrawal alter ACPD-evoked calcium signals in developing Purkinje neurons

J.G. Netzeband, J.R. Schneeloch, C. Trotter, J.N. Caguioa-Aquino and D.L. Gruol, Alcoholism: Clinical and Experimental Research, 26 (3) 386-393 (2002)

Binge ethanol exposure in adult rats causes necrotic cell death

J.A. Obernier, T.W. Bouldin and F.T. Crews, Alcoholism: Clinical and Experimental Research, 26 (4) 547-557 (2002)

The decreased cellular expression of neuropeptide protein in rat brain structures during ethanol withdrawal after chronic ethanol exposure

Roy and S.C. Pandey, Alcoholism: Clinical and Experimental Research, 26 (6) 796-803 (2002)

Chronic-intermittent ethanol exposure during adolescence prevents normal developmental changes in sensitivity to ethanol-induced motor impairments

A.M. White, J.G. Bae, M.C. Truesdale, S. Ahmad, W.A. Wilson and H.S. Swartwelder, Alcoholism: Clinical and Experimental Research, 26 (7) 960-968 (2002)

AM1 Citations

Mice that lack corticotropin-releasing factor (CRF) receptors Type 1 show a blunted ACTH response to acute alcohol despite up-regulated constitutive hypothalamic CRF gene expression

S. Lee, G.W. Smith, W. Vale, K-F. Lee and C. Rivier, Alcoholism: Clinical and Experimental Research, 25 (3) 427-433 (2001)

Local cerebral glucose utilization rates in alcohol-naïve High-Alcohol-Drinking (HAD) and Low-Alcohol-Drinking (LAD) rats

J.E.Learn, D.G.Smith, W.J.McBride, L.Lumeng and T-K.Lee, Alcoholism: Clinical and Experimental Research, 25 (4) 517-523 (2001)

Responsivity and development of tolerance to the motor impairing effects of moderate doses of ethanol in alcohol-preferring (P) and –nonpreferring (NP) rat lines

R.E.Bell et al, Alcoholism: Clinical and Experimental Research, 25 (5) 644-650 (2001)

MK-801 can exacerbate or attenuate behavioral alterations associated with neonatal alcohol exposure in the rat, depending on the timing of administration

J.D.Thomas, S.L.Fleming and E.P.Riley, Alcoholism: Clinical and Experimental Research, 25 (5) 764-773 (2001)

Ethanol-induced impairments in spatial working memory are not due to deficits in learning

S.E.Hoffmann and D.B.Matthews, Alcoholism: Clinical and Experimental Research, 25 (6) 856-861 (2001)

Effects of concurrent access to multiple ethanol concentrations and repeated deprivations on alcohol intake of alcohol-preferring rats

Z.A.Rodd-Henricks et al, Alcoholism: Clinical and Experimental Research, 25 (8) 1140-1150 (2001)

Early alteration in leukocyte populations and Th1/Th2 function in ethanol-consuming mice

S.Starkenber, M.E.Munroe and C.Waltenbaugh, Alcoholism: Clinical and Experimental Research, 25 (8) 1221-1230 (2001)

Differential response to the aversive properties of alcohol in alcohol-preferring (sP) and –nonpreferring (sNP) rats

G.Brunetti, S.Mellis, S.Serra, G.Vacca, G.Colombo and G.L.Gessa, Poster presentation, 8th Congress of the European Society for Biomedical Research on Alcoholism, September (2001)

Increased ethanol self-administration in d-opioid receptor knockout mice

A.J.Roberts et al, Alcoholism: Clinical and Experimental Research, 25 (9) 1249-1256 (2001)

2001 Alcohol-Naïve alcohol-preferring (P) rats exhibit higher local cerebral glucose utilization than alcohol-nonpreferring (NP) and Wistar rats

D.G.Smith, J.E.Learn, W.J.McBride, L.Lumeng, T-K.Li and J.M.Murphy, Alcoholism: Clinical and Experimental Research, 25 (9) 1309-1316 (2001)

Evidence that the Lore-1 region specifies ethanol-induced activation in addition to sedative/hypnotic sensitivity to ethanol

AM1 Citations

I.C.Owens, B.Bennett and T.E.Johnson, Alcoholism: Clinical and Experimental Research, 25 (11) 1551-1557 (2001)

Alcohol-Naïve alcohol-preferring (P) rats exhibit higher local cerebral glucose utilization than alcohol-nonpreferring (NP) and Wistar rats

D.G.Smith, J.E.Learn, W.J.McBride, L.Lumeng, T-K.Li and J.M.Murphy, Alcoholism: Clinical and Experimental Research, 25 (9) 1309-1316 (2001)

Increased ethanol self-administration in d-opioid receptor knockout mice

A.J.Roberts et al, Alcoholism: Clinical and Experimental Research, 25 (9) 1249-1256 (2001)

Differential response to the aversive properties of alcohol in alcohol-preferring (sP) and –nonpreferring (sNP) rats

G.Brunetti, S.Mellis, S.Serra, G.Vacca, G.Colombo and G.L.Gessa, Poster presentation, 8th Congress of the European Society for Biomedical Research on Alcoholism, September (2001)

Early alteration in leukocyte populations and Th1/Th2 function in ethanol-consuming mice

S.Starkenber, M.E.Munroe and C.Waltenbaugh, Alcoholism: Clinical and Experimental Research, 25 (8) 1221-1230 (2001)

Effects of concurrent access to multiple ethanol concentrations and repeated deprivations on alcohol intake of alcohol-preferring rats

Z.A.Rodd-Henricks et al, Alcoholism: Clinical and Experimental Research, 25 (8) 1140-1150 (2001)

Mice that lack corticotropin-releasing factor (CRF) receptors Type 1 show a blunted ACTH response to acute alcohol despite up-regulated constitutive hypothalamic CRF gene expression

S. Lee, G.W. Smith, W. Vale, K-F. Lee and C. Rivier, Alcoholism: Clinical and Experimental Research, 25 (3) 427-433 (2001)

Local cerebral glucose utilization rates in alcohol-naïve High-Alcohol-Drinking (HAD) and Low-Alcohol-Drinking (LAD) rats

J.E.Learn, D.G.Smith, W.J.McBride, L.Lumeng and T-K.Lee, Alcoholism: Clinical and Experimental Research, 25 (4) 517-523 (2001)

Responsivity and development of tolerance to the motor impairing effects of moderate doses of ethanol in alcohol-preferring (P) and –nonpreferring (NP) rat lines

R.E.Bell et al, Alcoholism: Clinical and Experimental Research, 25 (5) 644-650 (2001)

MK-801 can exacerbate or attenuate behavioral alterations associated with neonatal alcohol exposure in the rat, depending on the timing of administration

J.D.Thomas, S.L.Fleming and E.P.Riley, Alcoholism: Clinical and Experimental Research, 25 (5) 764-773 (2001)

Ethanol-induced impairments in spatial working memory are not due to deficits in learning

S.E.Hoffmann and D.B.Matthews, Alcoholism: Clinical and Experimental Research, 25 (6) 856-861 (2001)

2000

2000 Prolonged exposure to intermittent alcohol vapors blunts hypothalamic responsiveness to immune and nonimmune signals

S.Lee, D.Schmidt, F.Tilders, M.Cole, A.Smith and C.River, Alcoholism: Clinical and Experimental Research 24 (1) 110-122 (2000)

Impaired protein synthesis induced by acute alcohol intoxication is associated with changes in eIF4E in muscle and eIF2B in liver

C.H.Lang, R.A.Frost, V.Kumar, D.Wu and T.C.Vary, Alcoholism: Clinical and Experimental Research, 24 (3) 322-331 (2000)

Impairment in eyeblink classical conditioning in adult rats exposed to ethanol as neonates.

J.T.Green, R.F.Rogers, C.R.Goodlett and J.E.Steinmetz, Alcoholism: Clinical and Experimental Research, 24 (4) 438-447 (2000)