

**2008****Neuropeptide y in the central nucleus of the amygdala suppresses dependence-induced increases in alcohol drinking**

N. W. Gilpin, Kaushik Misra, and George F. Koob  
Pharmacol Biochem Behav. 90(3), 475 -480 (2008)

**2009****Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence**

H. N. Richardson, S. H. Chan, E. F. Crawford, Y.K. Lee, C. K. Funk, G. F. Koob, and C. D. Mandyam  
Neurobiol Dis. 36 (1), 1-10, (2009)

**Intra-cornu ammonis 1 administration of the human immunodeficiency virus-1 protein trans-activator of transcription exacerbates the ethanol withdrawal syndrome in rodents and activates N-methyl-D-aspartate glutamate receptors to produce persisting spatial learning deficits**

R.L. Self, K.J. Smith, T.R. Butler, J.R. Pauly and M.A. Prendergast  
Neuroscience, 163, 868-876, (2009)

**2010****Neurotensin receptor type 1 regulates ethanol intoxication and consumption in mice**

Moonnoh R. Lee, David J. Hinton, Jane Y. Song Kyung Won Lee, Christopher Choo, Heidi Johng  
Pharmacol Biochem Behav. 95(2): 235–241, (2010)

**2011****Increased Ethanol Consumption and Preference in Mice Lacking Neurotensin Receptor Type 2**

Moonnoh R. Lee, David J. Hinton, E. Richelson, D. Choi Alcoholism: Clinical and Experimental Research, 35 (1), 99 -107 (2011)