

1985**A simple colorimetric method for spot blood glucose estimation**

G.F.Watts, P.Thaker and P.N.West,
Ann.Clin.Biochem, 22, 653 (1985)

Filter paper spot glucose

G.F.Watts, P.Thaker, P.N.West and K.M.Shaw,
Practical Diabetes 2(5), 41-43 (1985)

1987**The value of blood lactate measurement in the long-term monitoring of Type II diabetic patients**

A.McBain, I.R.F.Brown, I.W.Campbell and D.G.Menzies,
Ann.Clin.Biochem, 24, Supplement (1987)

Heart rate and blood lactate response to short intermittent work at race pace in highly trained swimmers

L.Gullstrand and S.Lawrence
Australian Journal of Science and Medicine in Sport, March (1987)

1989**Prevalence of diabetes in a predominately Asian community: preliminary findings of the Coventry diabetes study**

D.Simmonds, D.R.Williams and M.J.Powell,
British Medical Journal, 298, 18-21 (1989)

1990**Platelet concentrates irradiated with ultraviolet light retain satisfactory in vitro storage characteristics and in vivo survival.**

D.H.Pamphlion et al,
Brit.J.Haematology, 75, 240-244 (1990)

Insulin resistance of hind-limb tissues in vivo in lactating sheep.

R.G. Vernon et al,
Biochem J., 270, 783-786 (1990)

Streamlining Lactates

R.C.L.Howat and M.W.Robson
Swimming Technique, February (1990)

Training with times established from the modified two speed test

R.C.L.Howat and M.W.Robson
Swimming Times, May (1990)

1991**Altitude training – is it necessary?**

M.W.Robson,
Swimming Times, December (1991)

Plasma ammonia measurements using the Analox GM7 analyser.

M.E.Haseler and S.Krywawych,
ACB National Meeting, Poster Presentation (1991)

1992**Developing swimmers aerobic capacities**

R.C.L.Howat and M.W.Robson,
Swimming Technique, February (1992)

Heartache or Heartbreak

R.C.L.Howat and M.W.Robson,
Swimming Times, June (1992)

1993**A randomised clinical trial of the effect of deliberate perioperative increase of oxygen delivery on mortality in high-risk surgical patients.**

O.Boyd, R.M.Grounds and E.D.Bennett,
JAMA, 270, 2699-2707 (1993)

1994**Blood sampling during continuous running and 30-second intervals on a treadmill**

L.Gullstrand, B.Sjodin and J.Svedenhag
Scandinavian Journal Med Sci Sports, 4, 239-242, (1994)

Blood lactate responses to incremental exercise in young male athletes

A.Baxter-Jones and P.Helms
Biochemistry of Exercise International Conference Abstract, July (1994)

Maximal aerobic power of Hong Kong elite lightweight rowers

M.K.Chin, R.C.H.So, C.C.J.Perry and A.S.K.Wong
Journal of Strength and Conditioning Research, August, (1994)

1995**Basic principles of race pace training**

R.C.L.Howat and M.W.Robson
Swimming Times, July (1995)

Whole-blood glucose: What are we actually measuring?

K.Wiener,
Ann.Clin.Biochem, 32, 1-8 (1995)

1996**Physiological responses to short-duration high-intensity intermittent rowing**

L.Gullstrand,
Can.J.Appl.Physiol. 21(3), 197-208, (1996)

A study of physiological responses during match play in Indian national kabaddi players

V.Khanna, P.Majumdar, V.Malik, T.Vrinda and M.Mandal,
British J.Sports Medicine, 30, 232-235, (1996)

1997**Gastric intramucosal pH and blood lactate in severe sepsis (P-LM5, lactate measurement)**

G.M. Joynt, J. Lipman, C.D. Gomersall, I. Tan and J. Scribante,
Anaesthesia, 52, 726-732 (1997)

A 5-minute running field test as a measurement of maximal aerobic velocity

P. Berthon et al,
Eur. J. Appl. Physiology, 75, 233-238 (1997)

1998**Hypothermia preserves function and signalling for mitochondrial biogenesis during subsequent ischemia (GM7, lactate measurement)**

X-H. Ning et al,
American J. Physiology, 274 (Heart Circ. Physiol. 43): H786-H793 (1998)

Effects of 14 weeks of progressive endurance training on energy expenditure in elderly people

N.Fellmann, M.Vermorel et al,
British Journal of Nutrition, 80, 6 (1998)

Training effects of short and long bouts of brisk walking in sedentary women

M.H.Murphy and A.E.Hardman,
Medicine and Science in Sports and Exercise, 30(1), 152-157, (1998)

1998**Oxygen uptake during moderate intensity running: response following a single bout of interval training.**

D.V.B. James and J.H. Doust,
Eur. J. Appl. Physiol. 77, 551-555 (1998)

1999**Intensity of exercise during road race pro-cycling competition**

B.Fernandez-Garcia, J.Perez-Landaluce, M.Rodriguez-Alonso and N.Terrados,
Medicine and Science in Sports and Exercise, 30, 1002-1006 (1999)

A 1-day maximal lactate steady-state assessment protocol for trained runners

A.S.Palmer, J.A.Potteiger, K.L.Nau and R.J.Tong,
Medicine and Science in Sports and Exercise, 30, 1336-1341 (1999)

Extreme, progressive isovolemic hemodilution with 5% human albumin, PentaLyte, or Hextend does not cause hepatic ischemia or histologic injury in rabbits

V.G.Nielsen, M.S.Baird, A.E.Brix and S.Matalon,
Anesthesiology, 90, 5 (1999)

Age does not influence levels of HbA1c in normal subjects

K. Wiener and N.B. Roberts,
QJM, 92, 169-173 (1999)

Mitochondrial protein and HSP70 signaling after ischemia in hypothermic-adapted hearts augmented with glucose (GM7, lactate measurement)

X-H. Ning, C-S. Xu and M.A. Portman,
Amer J Physiol Regul Integr Comp Physiol, 277: R11-R17 (1999)

2000**Enhanced stimulation of glucose uptake by insulin increases exercise-stimulated glucose uptake in skeletal muscle in humans.**

P.Nuutila et al,
Diabetes, 49, 1084-1091 (2000)

H₂O₂-induced block of glycolysis as an active ADP-ribosylation reaction protecting cells from apoptosis.

C. Colussi et al,
FASEB Journal, 14, 2266-2276 (2000)

Long-term arsenic exposure and incidence of non insulin dependent diabetes mellitus: A cohort study in arseniasis-hyperendemic villages in Taiwan

Chin-Hsiao Tseng et al,
Environmental Health Persepectives, 108(9),(Sept 2000)

Prolonged exposure to intermittent alcohol vapors blunts hypothalamic responsiveness to immune and non-immune signals.

S.Lee, D.Schmidt, F.Tilders, M.Cole, A.Smith and C.River,
Alcoholism: Clinical and Experimental Research 24 (1) 110-122 (2000)

Impaired protein synthesis induced by acute alcohol intoxicification is associated with changes in eIF4E in muscle and eIF2B in liver.

C.H.Lang, R.A.Frost, V.Kumar, D.Wu and T.C.Vary,
Alcoholism: Clinical and Experimental Research, 24 (3) 322-331 (2000)

Impairment in eyeblink classical conditioning in adult rats exposed to ethanol as neonates.

J.T.Green, R.F.Rogers, C.R.Goodlett and J.E.Steinmetz,
Alcoholism: Clinical and Experimental Research, 24 (4) 438-447 (2000)

2000**Training in hypoxia: Modulation of metabolic and cardiovascular risk factors in men**

D.M.Bailey, B.Davies and J.Baker,
Medicine and Science in Sports and Exercise, 31, 1058-1066, (2000)

Left ventricular contractility and function at peak aerobic and anaerobic exercises

M.Sagiv, D.Bwen-Sira, E.Goldhammer and M.Soudry,
Medicine and Science in Sports and Exercise, 31, 1197-1201 (2000)

Human erythrocyte and plasma amino acid concentrations during exercise

D.P.M.Maclaren, A.M.Nevill, C.D.Thake, I.T.Campbell, E.Cheetham, M.A.Keegan, C.Lane and N.B.Roberts,
Medicine and Science in Sports and Exercise, 31, 1244-1249 (2000)

2001**Inspiratory muscle training improves rowing performance**

S.Volianitis, A.K.McConnell, Y.Koutedakis, L.McNaughton, K.Backx and D.A.Jones, Medicine and Science in Sports and Exercise, 33, 803-809 (2001)

Effect of creatine loading on long-term sprint exercise performance and metabolism

D.Preen, B.Dawson, C.Goodman, S.Lawrence, J.Beilby and S.Ching,
Medicine and Science in Sports and Exercise, 33, 814-821 (2001)

The effect of three different warm-up intensities on kayak ergometer performance

D.Bishop, D.Bonetti and B.Dawson,
Medicine and Science in Sports and Exercise, 33, 1026-1032 (2001)

Comparison of the lactate Pro and Analox GM7 lactate analysers

S.A.Ingham, A.M.Nevill and G.Whyte, Poster presented at European College of Sport Science Congress, Cologne, (2001)

Mice that lack corticotropin-releasing factor (CRF) receptors Type 1 show a blunted ACTH response to acute alcohol despite up-regulated constitutive hypothalamic CRF gene expression.

S. Lee, G.W. Smith, W. Vale, K-F. Lee and C. Rivier,
Alcoholism: Clinical and Experimental Research, 25 (3) 427-433 (2001)

Local cerebral glucose utilization rates in alcohol-naïve High-Alcohol-Drinking (HAD) and Low-Alcohol-Drinking (LAD) rats.

J.E.Learn, D.G.Smith, W.J.McBride, L.Lumeng and T-K.Lee,
Alcoholism: Clinical and Experimental Research, 25 (4) 517-523 (2001)

Responsivity and development of tolerance to the motor impairing effects of moderate doses of ethanol in alcohol-preferring (P) and –nonpreferring (NP) rat lines

R.E.Bell et al,
Alcoholism: Clinical and Experimental Research, 25 (5) 644-650 (2001)

MK-801 can exacerbate or attenuate behavioral alterations associated with neonatal alcohol exposure in the rat, depending on the timing of administration

J.D.Thomas, S.L.Fleming and E.P.Riley,
Alcoholism: Clinical and Experimental Research, 25 (5) 764-773 (2001)

Ethanol-induced impairments in spatial working memory are not due to deficits in learning

S.E.Hoffmann and D.B.Matthews,
Alcoholism: Clinical and Experimental Research, 25 (6) 856-861 (2001)

Effects of concurrent access to multiple ethanol concentrations and repeated deprivations on alcohol intake of alcohol-preferring rats

Z.A.Rodd-Henricks et al,
Alcoholism: Clinical and Experimental Research, 25 (8) 1140-1150 (2001)

2001**Early alteration in leukocyte populations and Th1/Th2 function in ethanol-consuming mice**

S.Starkenber, M.E.Munroe and C.Waltenbaugh,
Alcoholism: Clinical and Experimental Research, 25 (8) 1221-1230 (2001)

Differential response to the aversive properties of alcohol in alcohol-preferring (sP) and –nonpreferring (sNP) rats

G.Brunetti, S.Mellis, S.Serra, G.Vacca, G.Colombo and G.L.Gessa, Poster presentation, 8th Congress of the European Society for Biomedical Research on Alcoholism, September (2001)

Increased ethanol self-administration in δ -opioid receptor knockout mice

A.J.Roberts et al,
Alcoholism: Clinical and Experimental Research, 25 (9) 1249-1256 (2001)

Alcohol-Naïve alcohol-preferring (P) rats exhibit higher local cerebral glucose utilization than alcohol-nonpreferring (NP) and Wistar rats

D.G.Smith, J.E.Learn, W.J.McBride, L.Lumeng, T-K.Li and J.M.Murphy,
Alcoholism: Clinical and Experimental Research, 25 (9) 1309-1316 (2001)

Evidence that the Lore-1 region specifies ethanol-induced activation in addition to sedative/hypnotic sensitivity to ethanol

I.C.Owens, B.Bennett and T.E.Johnson,
Alcoholism: Clinical and Experimental Research, 25 (11) 1551-1557 (2001)

2002**Selective and enduring deficits in spatial learning after limited neonatal binge alcohol exposure in male rats**

T.B.Johnson and C.R.Goodlett,
Alcoholism: Clinical and Experimental Research, 26 (1) 83-93 (2002)

Reciprocal congenics defining individual quantitative trait loci for sedative/hypnotic sensitivity to ethanol

B.Bennett, M.Beason, L.Gordon and T.E.Johnson,
Alcoholism: Clinical and Experimental Research, 26 (2) 149-157 (2002)

Altered EEG responses to ethanol in adult rats exposed to ethanol during adolescence

C.J.Slawecki,
Alcoholism: Clinical and Experimental Research, 26 (2) 246-254 (2002)

Glucose uptake and perfusion in subcutaneous and visceral adipose tissue during insulin stimulation in nonobese and obese humans.

K.A. Virtanen et al,
J. Clinical Endocrinology and Metabolism, 87 (8), 3902-3910 (2002)

Diagnosing external iliac endofibrosis by postexercise ankle to arm index in cyclists

B. Fernandez-Garcia et al,
Medicine and Science in Sports and Exercise, 34, 222-227 (2002)

Microdialysis of dopamine in the nucleus accumbens of alcohol-preferring(P) rats during anticipation and operant self-administration of ethanol

R.I. Melendez, Z.A. Rodd-Henricks, E.A. Engleman, T-K Li, W.J. McBride and J.M. Murphy, Alcoholism: Clinical and Experimental Research, 26 (3) 318-325 (2002)

Chronic ethanol treatment and withdrawal alter ACPD-evoked calcium signals in developing Purkinje neurons

J.G. Netzeband, J.R. Schneeloch, C. Trotter, J.N. Caguioa-Aquino and D.L. Gruol, Alcoholism: Clinical and Experimental Research, 26 (3) 386-393 (2002)

Binge ethanol exposure in adult rats causes necrotic cell death

J.A. Obernier, T.W. Bouldin and F.T. Crews,
Alcoholism: Clinical and Experimental Research, 26 (4) 547-557 (2002)

2002**The decreased cellular expression of neuropeptide protein in rat brain structures during ethanol withdrawal after chronic ethanol exposure**

A. Roy and S.C. Pandey,
Alcoholism: Clinical and Experimental Research, 26 (6) 796-803 (2002)

Chronic-intermittent ethanol exposure during adolescence prevents normal developmental changes in sensitivity to ethanol-induced motor impairments

A.M. White, J.G. Bae, M.C. Truesdale, S. Ahmad, W.A. Wilson and H.S. Swartwelder, Alcoholism: Clinical and Experimental Research, 26 (7) 960-968 (2002)

Possible pleiotropic effects of genes specifying sedative/hypnotic sensitivity to ethanol on other alcohol-related traits

J.C. Owens, B. Bennett and T.E. Johnson,
Alcoholism: Clinical and Experimental Research, 26 (10) 1461-1467 (2002)

Handgrip contribution to lactate production and leg power during high-intensity exercise

J. Baker, E. Brown, G. Hill, G. Phillips, R. Williams and B. Davies,
Medicine and Science in Sports and Exercise, 34, 1037-1040 (2002)

The influence of pacing strategy in VO₂ and supramaximal kayak performance

D. Bishop, D. Bonetti and B. Dawson,
Medicine and Science in Sports and Exercise, 34, 1041-1047 (2002)

Caffeine is ergogenic after supplementation of oral creatine monohydrate

M. Docherty, P.M. Smith, R.C.R. Davidson and M.G. Hughes,
Medicine and Science in Sports and Exercise, 34, 1785-1792 (2002)

Glucose uptake and perfusion in subcutaneous and visceral adipose tissue during insulin stimulation in nonobese and obese humans.

K.A. Virtanen et al,
J. Clinical Endocrinology and Metabolism, 87 (8), 3902-3910 (2002)

2003**Skeletal muscle glucose uptake response to exercise in trained and untrained men**

T. Fujimoto et al.,
Medicine and Science in Sports and Exercise, 35, 777-783 (2003)

Effects of sodium bicarbonate ingestion on prolonged intermittent exercise

M. Price, P. Moss and S. Rance,
Medicine and Science in Sports and Exercise, 35, 1303-1308 (2003)

Lactate and ventilatory thresholds reflect the training status of professional soccer players where maximum aerobic power is unchanged

A.M. Edwards, N. Clark and A.M. Macfayden,
Journal of Sports Science & Medicine, 2, 23-29 (2003)

The neurotoxicity induced by ethanol withdrawal in mature organotypic hippocampal slices might involve cross-talk between metabotropic glutamate Type 5 receptors and N-methyl-D-aspartate receptors.

B.R. Harris et al,
Alcoholism: Clinical and Experimental Research, 27 (11) 1724-1735 (2003)

Fyn Kinase and NR2B-containing NMDA receptors regulate acute ethanol sensitivity but not ethanol intake or conditioned reward.

R. Yaka et al,
Alcoholism: Clinical and Experimental Research, 27 (11) 1736-1742 (2003)

2003**Timing of antioxidant vitamin ingestion alters postprandial proatherogenic serum markers.**

Mary F. Carroll and David S. Schade,
American Heart Association, Circulation, 108, 24-31 (2003)

Timing of antioxidant vitamin ingestion alters postprandial proatherogenic serum markers.**(GM7, glucose measurement)**

Mary F. Carroll and David S. Schade,
American Heart Association, Circulation, 108, 24-31 (2003)

Differential effects of rosiglitazone and metformin on adipose tissue distribution and glucose uptake in Type 2 diabetic subjects

K.A. Virtanen et al.,
Diabetes, 52, 283-290 (2003)

Assessment of the reliability and validity of the Lactate Pro lactate analyser

S.G.Psycharakis, C.B.Cooke, J.O'Hara and A.Siems,
Biomechanics and Medicine in Swimming IX, J.C. Chatard (ed.), University of St. Etienne Publications, St.Etienne, France, Pp 367-373 (2003)

Factors determining the appearance of glucose in upper and lower respiratory tract secretion (GM9D, glucose measurement)

B.J. Philips, J-X. Meguer, J. Redman and E.H. Baker,
Intensive Care Medicine, 29, 2204-2210 (2003)

2004**Effect of hyperglycaemia on glucose concentration of human nasal secretions****(GM9D, glucose measurement)**

D.M. Wood, A.L. Brennan, B.J. Philips and E.H. Baker,
Clinical Science, 106, 527-533 (2004)

Effects of acute hypoxia on the determination of anaerobic threshold using the heart rate – work rate relationships during incremental exercise tests.

O. Ozcelik and H. Kelestimur,
Physiol. Res. 53, 45-51 (2004)

Controlled and behaviorally relevant levels of oral ethanol intake in Rhesus Macaques using a flavorant-fade procedure

S.N. Katner et al,
Alcoholism: Clinical and Experimental Research, 28 (6) 873-883 (2004)

Immediate acceptance of ethanol in infant rats; ontogenetic differences with moderate but not high ethanol concentration

E. Truxell and N.E. Spear,
Alcoholism: Clinical and Experimental Research, 28 (8) 1200-1211 (2004)

Site of action of acute alcohol administration in stimulating the rat hypothalamic-pituitary-adrenal axis: Comparison between the effect of systematic and intracerebroventricular injection of this drug on pituitary and hypothalamic responses

S. Lee, D. Selvage, K. Hansen and C. Rivier,
Endocrinology, 145 (10) 4470-4479 (2004)

2005**New insights into the glucose oxidase stick test for cerebrospinal fluid rhinorrhea****(GM9D, glucose measurement)**

E.H. Baker, D.M. Wood, A.L. Brennan, D.L. Baines and B.L. Philips,
J. Emerg Med, 22, 556-557 (2005)

2005**Increased fat mass compensates for insulin resistance in abdominal obesity and Type 2 diabetes (GM9, glucose measurement)**

K.A. Virtanen et al.,
Diabetes, 54, 2720-2726 (2005)

Sex differences in ethanol liquid diet consumption in Sprague-Dawley rats

M.R. Piano, T.M. Carrigan and D.W. Schwertz,
Alcohol, 35 113-118 (2005)

Metabolic implications of high intensity cycle ergometry exercise for blood lactate accumulation and clearance

J. Baker, N. Thomas and B. Davies,
J. Exercise Physiology Online, Vol.8, No.3 (June 2005)

Effects of ribose supplementation prior to and during intense exercise on anaerobic capacity and metabolic markers

C. Kerksick et al,
Intl J. of Sport Nutrition and Exercise Metabolism, 15, 653-664 (2005)

Optimised and non-optimised high intensity cycle ergometry and running ability in international rugby union players.

N.E. Thomas and J.S. Baker,
J. Exercise Physiology Online, 8(3), 26-35 (2005)

Exercise in the fasted state facilitates fibre type-specific intramyocellular lipid breakdown and stimulates glycogen resynthesis in humans.

K. DeBock et al,
J. Physiology, 564.2, 649-660 (2005)

2006**Chocolate milk as a post-exercise recovery aid.**

J.R. Karp et al,
Intl J. of Sports Nutrition and Exercise Metabolism, 16, 78-91 (2006)

2007**Reduction of plasma triglycerides in apolipoprotein C-II transgenic mice over expressing lipoprotein lipase in muscle**

L. K. Pulawa, D. R. Jensen, A. Coates, and R. H. Eckel
J Lipid Res. 48: 151–154 (2007)

Direct Validation of In Vivo Localized Carbon 13C MRS Measurements of Brain Glycogen

H. Lei, F. Morgenthaler, T. Yue, and R. Gruetter
Magnetic Resonance in Medicine 57,243–248, (2007)

2008**Expression of an activating mutation in the gene encoding the KATP channel subunit Kir6.2 in mouse pancreatic β cells recapitulates neonatal diabetes**

C.A. Girard et al.,
Journal of Clinical Investigation, 119 (1), 80-90 (2008)

Insulin sensitivity and cardiac autonomic function in young male practitioners of yoga

M.S. Chaya et al,
National Medical Journal of India, 21 (5), 217-221 (2008)

Increased thermoregulation in cold-exposed transgenic mice overexpressing lipoprotein lipase in skeletal muscle: an avian phenotype?

D. R. Jensen, L. A. Knaub, J. P. Konhilas, L. A. Leinwand, P. S. MacLean, and R. H. Eckel
J Lipid Res. 49(4): 870–879 (2008)

Effect of a pre-exercise energy supplement on the acute hormonal response to resistance exercise

J. R. Hoffman, N. A. Ratamess, R. Ross, M. Shanklin, J. Kang, and A. D. Faigenbaum
Journal of Strength and Conditioning Research, 22(3), 874-882, (2008)

Evaluating the glucose tolerance test in mice

S. Andrikopoulos, A. R. Blair, N. Deluca, B. Fam, and J. Proietto
American Journal of Physiology: Endocrinology and Metabolism, 295(6), E1323-1332, (2008)

Neuropeptide y in the central nucleus of the amygdala suppresses dependence-induced increases in alcohol drinking

N. W. Gilpin, Kaushik Misra, and George F. Koob
Pharmacol Biochem Behav. 90(3), 475 -480 (2008)

2009**Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence**

H. N. Richardson, S. H. Chan, E. F. Crawford, Y.K. Lee, C. K. Funk, G. F. Koob, and C. D. Mandym
Neurobiol Dis. 36 (1), 1-10, (2009).

The role of lactate in the exercise-induced human growth hormone response: evidence from McArdle disease

R J Godfrey, G P Whyte, J Buckley, R Quinlivan
Br. J. Sports Med, 43, 521-525 (2009)

Chronic dietary kudzu isoflavones improve components of metabolic syndrome in stroke-prone spontaneously hypertensive rats

N. Peng, J.K. Prasain, Y. Dai, R. Moore, A. Arabshahi, S. Barnes, S. Carlson, and J. M. Wyss
J. Agric. Food Chem., 57 (16), 7268-7273 (2009)

Intra-cornu ammonis 1 administration of the human immunodeficiency virus-1 protein trans-activator of transcription exacerbates the ethanol withdrawal syndrome in rodents and activates N-methyl-D-aspartate glutamate receptors to produce persisting spatial learning deficits

R.L. Self, K.J. Smith, T.R. Butler, J.R. Pauly and M.A. Prendergast
Neuroscience, 163, 868-876, (2009)

Intestinal cholecystokini controls glucose production through a neuronal network

G.W.C Cheung, A. Kokorovic, C., K.L. Lam, M. Chari and T.K.T Lam
Cell Metabolism, 10 (2), 99-109, (2009)

Nutrient stress activates inflammation and reduces glucose metabolism by suppressing AMP-activated protein kinase in the heart

H.j. Ko, Z. Zhang, D.Y. Jung, J.Y. Jun, Z. Ma, K.E. Jones, S.Y. Chan and J.K. Kim
Diabetes, 58(11), 2536-2546, (2009)

Reducing effect of a Phaseolus vulgaris dry extract on food intake, body weight, and glycemia in rats

N. Fantini, C. Cabras, C. Lobina, G. Colombo, G. L. Gessa, A. Riva, F. Donzelli, P. Morazzoni, E. Bombardelli and M. A. M. Carai
J. Agric. Food Chem., 57 (19), 9316-9323, (2009)

2010**Neurotensin receptor type 1 regulates ethanol intoxication and consumption in mice**

Moonnoh R. Lee, David J. Hinton, Jane Y. Song Kyung Won Lee, Christopher Choo, Heidi Johng
Pharmacol Biochem Behav. 95(2): 235–241 (2010)

2010

Higher free fatty acid uptake in visceral than in abdominal subcutaneous fat tissue in men

J. C. Hannukainen, K. K. Kalliokoski, R.J.M. Borra, A.P.M. Viljanen, T. Janatuinen, U.M. Kujala, J. Kaprio, O. J. Heinonen, T. Viljanen, M. Haaparanta, P. Iozz, R.Parkkola and P. Nuutila
Obesity 18 (2), 261–265, (2010).

Fast growth associated with aberrant vasculature and hypoxia in fibroblast growth factor 8b (FGF8b) over-expressing PC-3 prostate tumour xenografts

J. Tuomela, T. J Grönroos, M. P Valta, J. Sandholm, A. Schrey, J. Seppänen, P. Marjamäki, S. Forsback, I. Kinnunen, O. Solin, H. Minn and P. L Härkönen
BMC Cancer, 10, 596-608, (2010)

Acute hormonal changes following intravenous glucose challenge in lean and obese human subjects

L. T. Haltia, E. Savontaus, T. Vahlberg, J. O. Rinne and V. Kaasinen
Scandinavian Journal of Clinical & Laboratory Investigation, 70(4), 275-280, (2010)

Terminalia bellirica stimulates the secretion and action of insulin and inhibits starch digestion and protein glycation in vitro

V. Kasabri, P. R. Flatt and Y. H. A. Abdel-Wahab
British Journal of Nutrition, 103, 212–217 (2010)

Cafeteria diet-induced insulin resistance is not associated with decreased insulin signaling or AMPK activity and is alleviated by physical training in rats

N.Brandt, K. De Bock, E. A. Richter and P.Hespel
Am J Physiol Endocrinol Metab 299 (2): 215-224 (2010)

Opioids in the hypothalamic paraventricular nucleus stimulate ethanol intake

J. R. Barson, A. J. Carr, J. E. Soun, N. C. Sobhani, P. Rada, S. F. Leibowitz, and B. G. Hoebel
Alcohol Clin Exp Res, 34,(2), 214–222 (2010)

Genetic ablation of calcium-independent phospholipase A2γ prevents obesity and insulin resistance during high fat feeding by mitochondrial uncoupling and increased adipocyte fatty acid oxidation*

D. J. Mancuso, H. F. Sims, K. Yang, M. A. Kiebish, X. Su, C. M. Jenkins, S.Guan, S. Ho Moon, T. Pietka, F. Nassir, T. Schappe, K. Moore, X. Han, N. A. Abumrad and R. W. Gross
The Journal of Biological Chemistry, 285, 36495-36510, (2010)

High-fructose corn syrup causes characteristics of obesity in rats: Increased body weight, body fat and triglyceride levels

M.E. Bocarsly, E.S. Powell, N. M. Avena and B. G. Hoebel
Pharmacology Biochemistry and Behavior, 97(1), 101-106, (2010)

2011

Recurrent hypoglycemia increases hypothalamic glucose phosphorylation activity in rats

M. A. Osundiji, P. Hurst, S. P. Moore, S. P. Markkula, C. Y. Yueh, A. Swamy, S. Hoashi, J. S. Shaw, C. H. Riches, L. K. Heisler and M. L. Evans
Metabolism, 60(4), 550-556, (2011)

Increased ethanol consumption and preference in mice lacking neurotensin receptor type 2

Moonnoh R. Lee, David J. Hinton, E. Richelson, D. Choi Alcoholism: Clinical and Experimental Research, 35 (1), 99 -107 (2011)

Evidence of glycemia-lowering effect by a Cynara scolymus L. extract in normal and obese rats.

N. Fantini, G. Colombo, G.,A. Giori, A. Riva, A., P. Morazzoni, E. Bombardelli, and M.A.M Carai,
Phytotherapy Research, 25: 463–466. (2011)